Haas Door®
A Nofziger Company

Residential Product Line

Quality People. Quality Products.

Family Owned & Manufactured in the USA

Welcome to Haas Door, a family owned and operated company. We value our customers and manufacture our garage doors with the highest quality workmanship and raw materials.

Our method is simple. We hire quality people driven to produce quality products. We call ourselves "The Haas Door Family" and that's the way we operate.

As you read forward, allow us to open a door to endless possibilities for you!

haasdoor.com

Contents

American Tradition Series™ p 2-7
Carriage House Models
Insulated Steel & Overlay / 2" thick / R-13.45

Residential Aluminum 360 Series p 8-9
Full View Aluminum / 2" thick

5000 Series p 10-11
Insulated Aluminum / 2" thick / R-17.66
Insulated Aluminum / 1¾" thick / R-16.18

2000 Series p 12-13
Insulated Steel / 2" thick / R-17.66

700 Series p 14-15
Insulated Steel / 1¾" thick / R-16.18

600 Series p 16-17
Insulated Steel / 1⅜" thick / R-13.45

2400 Series p 18-19
24 Gauge Steel / 2" thick / R-7.45 Available

2500 Series p 20-21
25 Gauge Steel / 2" thick / R-7.45 Available

SelectView Options p 22-23

Glass Options p 23

Window Options p 24-27

Residential Warranty and Product Gauge Information p 28

Wind Load & Accessories p 28

Quality & Environmental Commitment p 29

Create your garage door and view it on your home at **haascreate.com**

American Tradition™ series

FEATURES

- 2" Thick with Overlay
- Full Thermal Break
- 13.45 Calculated R-Value
- CFC-Free Polyurethane Insulation
- 26-Gauge Galvanized Steel
- Polyurethane Overlay Boards
- 17 Base & 16 Overlay Colors
- 12 Door Designs
- 10 Window Options
- 4 Impact Polycarbonate Glazing Options
- Available with Wind Load
- Industry Leading Warranty
  - Lifetime Rust & Delamination
  - 6 Year Hardware
  - 5 Year Overlay Delamination
  - 3 Year Spring
  - 1 Year All Other Components

Florida/Non-Florida
Wind Load
Impact/Non-Impact

LIMITED
LIFETIME
WARRANTY

930 in carbon black with arch 3-pane dark gray/darkgray windows

942 in hunter green


921 in bronze with brown overlays, 3-pane windows, handles and hinges

931 in mahogany

921 in polar white with white overlays, 6-pane Rain/Frosted windows, handles and hinges

Single Door Designs

Double Door Designs

Enjoy the handcrafted quality and rich traditional carriage house style without the maintenance of wood. The American Tradition Series™ doors contain CFC/HCFC-free polyurethane insulation with a calculated R-value of 13.45. They are available in thirteen solid and four wood grain base colors. Overlay boards are glued and pinned to the door and are available in the twelve solid colors, with an option to mix and match.
(example: almond boards on a sandstone door)
Four wood grain overlays are also available.

Solid Base Colors

Almond

Bronze

Brown

Charcoal

Carbon Black

Gray


Hunter Green


Polar White

Sahara Tan

Sandstone

Trinar® Beige

Trinar® Brown


Trinar® White

921 **in gray with white overlays, 3-pane windows, handles and hinges**

952 **in polar white with solid arch**

920 **in english oak with 3-pane windows**

931 **in almond with single arch 6-pane windows**

Solid Overlay Colors


Almond

Bronze

Brown


Carbon Black

Charcoal

Gray

Hunter Green


Sahara Tan


Sandstone


Trinar® Beige

Trinar® Brown


White

Wood Grain Base Colors

Mahogany

Ash

American Walnut

English Oak

Wood Grain Overlay Colors

Mahogany


Ash

American Walnut

English Oak

Color Note: Wood grain overlays are handcrafted and can vary slightly in color like real wood.

Due to the printing process, colors may vary. For an accurate color match, contact your Haas Door dealer.

Top Section Window Designs

Glazed 3-Pane

Glazed Arch 3-Pane

Glazed 4-Pane

Glazed Arch 4-Pane

Glazed 6-Pane

Glazed Arch 6-Pane

Glazed 8-Pane

Glazed Arch 8-Pane

Glazed

Glazed Arch

Solid

Solid Arch

940 in polar white with 4-pane impact windows

Glass Options

Insulated - 1/2" tempered (optional)

Clear/Clear

Aqua/Clear

Rain/Clear

Clear/Frosted

Aqua/Frosted

Rain/Frosted

Light Gray/Clear

Dark Gray/Clear

Bronze/Clear

Light Gray/Frosted

Dark Gray/Frosted

Bronze/Frosted

Clear/Low-E

Clear/Solar Ban

Dark Gray/Dark Gray

Non-Insulated - 1/8" tempered (standard)

Clear

Aqua

Rain

Light Gray

Dark Gray

Bronze


Frosted

Clear Lexan

Obscure

Impact Polycarbonate - *(UV rating on Clear only)*

Clear

Dark Gray

Pebble

Bronze

930 in polar white with double arch 8-pane windows

922 in sandstone with 6-pane windows

Decorative Hardware

Hinges (optional)

Handles (standard)

Residential Aluminum 360 series

RA 360 Series / 1¾" thick

FEATURES

- 0.65" Minimum Aluminum Tublar Extrusion
- Rust and Corrosion Free
- Commercial-grade Aluminum
- Tongue-and-Groove Section Joints
- Custom-matched Color and Powder Coating available
- 16 Insulated Glass Options
- 13 Non-Insulated Glazing Options
- 4 Impact Polycarbonate Glazing Options

(*Glazing Options on pg23*)

Florida/Non-Florida
Wind Load
Impact/Non-Impact

RA360 **in polar white rails with 1/4" impact dark gray polycarbonate**

RA360 **in spiced walnut rails with matching solid panels and 1/4" laminated frosted glass**

RA360 **in charcoal rails with 1/4" laminated frosted glass** *(shown with extra stiles)*

RA360 **in clear anodized rails with 1/4" laminated frosted glass**

Standard Colors

Matching solid panels also available for all colors.

Clear Anodized
Black Anodized
Polar White
Sahara Tan
Brown
Gray
Charcoal
Dark Bronze Anodized
Brushed Aluminum
Almond
Sandstone
Hunter Green
Painted Bronze
Painted Black

Due to the printing process, colors may vary. For an accurate color match, contact your Haas Door dealer.

Powder Coated Wood Grain Colors

Oregon Douglas
National Oak
American Douglas
Knotty Pine
Colony Maple
European Cherry
Antique Cherry
Heritage Maple
Harvest Oak
Coffee
Cherry with Flame
National Cherry
Spiced Walnut
Black Walnut

FEATURES

- 2" or 1¾" Thick with Full Thermal Break
- 17.66 Calculated R-Value (5200 Models); 16.18 Calculated R-Value (5700 Models)
- CFC-Free Polyurethane Insulation
- Corrosion-Resistant Stucco Embossed Aluminum
- Trinar® Color with 35-Year Finish Warranty
- Air Infiltration Joint Seal (5200 Models)
- Available with Wind Load
- Decorative Glass Options (pg 24)
- SelectView Options (pg 22-23)
- 41 Window Options (pg 25-27)
- Industry Leading Warranty
  - Lifetime Delamination
  - 6 Year Hardware
  - 3 Year Spring
  - 1 Year All Other Components

MIAMI-DADE COUNTY APPROVED

Florida/Non-Florida **Wind Load** Impact/Non-Impact

LIMITED **LIFETIME** WARRANTY

Haas Door A Nofziger Company

5000 series

5000 Series / 2" or 1¾" thick / R-17.66 or 16.18

5210/5710 **in Trinar® polar white**

5280/5780 **in Trinar® polar white**



5280/5780 **in Trinar® almond with cathedral windows**

5270/5770 **in Trinar® polar white with prairie windows**



5200

A **Full Thermal Break** is used in the tongue-and-groove construction of all 5000 series doors. This rigid vinyl extrusion seals the joints and eliminates metal-to-metal contact, which limits the transfer of temperature.

5200 series doors include **Air Infiltration Seals**, which exceed the ASHRAE 90.1 Standard when installed with standard bottom seal and commonly available rigid/flexible vinyl door stop.



5700

Color Options

Trinar® Polar White



Trinar® Almond

Panel Options

Flush Stucco
Model 5210 (2" thick R-17.66)
Model 5710 (1¾" thick R-16.18)
Carriage Windows p24 & 25
Ranch Windows p24 & 26
TL Windows p26
Standard Windows p24 & 27

V-Groove Stucco
Model 5212 (2" thick R-17.66)
Model 5712 (1¾" thick R-16.18)
TL Windows p26

Raised Ranch Stucco Panel
Model 5270 (2" thick R-17.66)
Model 5770 (1¾" thick R-16.18)
Ranch Windows p24 & 26

Raised Standard Stucco Panel
Model 5280 (2" thick R-17.66)
Model 5780 (1¾" thick R-16.18)
Standard Windows p24 & 27

Insulated Aluminum

Color Options

Wood Grain

Bi-Directional American Walnut
Bi-Directional English Oak
Bi-Directional Ash
Bi-Directional Mahogany
Uni-Directional American Walnut
Uni-Directional English Oak
Uni-Directional Ash
Uni-Directional Mahogany

The pre-painted wood grain finish is baked on to ensure a durable and long lasting door. Steel wood grain colors feature a 10 year finish warranty.

Premium

Trinar® White*
Trinar® Beige*
Trinar® Brown*
Carbon Black**

*Trinar® colors carry a 35-year finish warranty, making them ideal for projects that require extra-long lasting durability and beauty. **Carbon Black includes a cool chemistry paint finish but is not recommended for projects with extreme exposures to heat and sunlight.

Standard

Polar White
Almond
Gray
Bronze
Sahara Tan
Sandstone
Hunter Green
Charcoal
Brown

Due to the printing process, colors may vary. For accurate color samples, contact a Haas Door dealer for a color selector.

FEATURES

- 2" Thick with Full Thermal Break
- 17.66 Calculated R-Value
- CFC-Free Polyurethane Insulation
- 26-Gauge Galvanized Steel
- Air Infiltration Joint Seal
- Available with Wind Load
- Decorative Glass Options (pg 24)
- SelectView Options (pg 22-23)
- 41 Window Options (pg 25-27)
- Industry Leading Warranty
  - Lifetime Rust & Delamination
  - 10-Year Finish (Wood Grain colors)
  - 6-Year Hardware
  - 3-Year Spring
  - 1-Year All Other Components

2000 series doors include **Air Infiltration Seals**, which exceed the ASHRAE 90.1 Standard when installed with standard bottom seal and commonly available rigid/flexible vinyl door stop.

A **Full Thermal Break** is used in the tongue-and-groove construction. This rigid vinyl extrusion seals the joints and eliminates metal-to-metal contact, which limits the transfer of temperature.

Haas Door
A Nofziger Company

2000 series

2000 Series / 2" thick / R-17.66

MIAMI-DADE COUNTY APPROVED

Florida/Non-Florida
Wind Load
Impact/Non-Impact

LIMITED LIFETIME WARRANTY

2064 in mahogany with 3-pane arch windows, hinges and handles

2060 in uni-directional ash with 3-pane windows

2010 in sandstone with plain carriage house windows and selectview option (see pg 22)

2073 in sahara tan with colonial windows

2080 in charcoal with colonial windows

Panel Options

Flush
Model 2010
All colors except
Bi-Directional wood grains
Carriage Windows p24 & 25
Ranch Windows p24 & 26
TL Windows p26
Standard Windows p24 & 27

V-Groove
Model 2012
All colors except
Bi-Directional wood grains
TL Windows p26

Ribbed Short Panel
Model 2060
All colors
Carriage Windows p24 & 25
Model 2072
All colors
Ranch Windows p24 & 26
Model 2082
All colors
Standard Windows p24 & 27

Recessed Short Panel
Model 2061
All colors
Carriage Windows p24 & 25
Model 2071
All colors
Ranch Windows p24 & 26
Model 2081
All colors
Standard Windows p24 & 27

Ribbed Long Panel
Model 2064
All colors
Carriage Windows p24 & 25
Model 2074
All colors
Ranch Windows p24 & 26

Recessed Long Panel
Model 2063
(Not available in 24" sections)
All colors
Carriage Windows p24 & 25
Model 2073
(Not available in 24" sections)
All colors
Ranch Windows p24 & 26

Raised Ranch Panel
Model 2070
All colors
Ranch Windows p24 & 26

Raised Standard Panel
Model 2080
All colors
Standard Windows p24 & 27

Sculptured Raised Panel
Model 2090
All colors
Standard Windows p24 & 27

Color Options

Wood Grain

Bi-Directional American Walnut
Bi-Directional English Oak
Bi-Directional Ash
Bi-Directional Mahogany
Uni-Directional American Walnut
Uni-Directional English Oak
Uni-Directional Ash
Uni-Directional Mahogany

The pre-painted wood grain finish is baked on to ensure a durable and long lasting door. Steel wood grain colors feature a 10 year finish warranty.

Premium

Trinar® White*
Trinar® Beige*
Trinar® Brown*
Carbon Black**

*Trinar® colors carry a 35-year finish warranty, making them ideal for projects that require extra-long lasting durability and beauty. **Carbon Black includes a cool chemistry paint finish but is not recommended for projects with extreme exposures to heat and sunlight.

Standard

Polar White
Almond
Gray
Bronze
Sahara Tan
Sandstone
Hunter Green
Charcoal
Brown

Due to the printing process, colors may vary. For accurate color samples, contact a Haas Door dealer for a color selector.

FEATURES

- 1¾" Thick with Full Thermal Break
- 16.18 Calculated R-Value
- CFC-Free Polyurethane Insulation
- 26-Gauge Galvanized Steel
- Available with Wind Load
- Decorative Glass Options (pg 24)
- SelectView Options (pg 22-23)
- 47 Window Options (pg 25-27)
- Industry Leading Warranty
  - Lifetime Rust & Delamination
  - 10-Year Finish (Wood Grain colors)
  - 6-Year Hardware
  - 3-Year Spring
  - 1-Year All Other Components

A **Full Thermal Break** is used in the tongue-and-groove construction of all 700 series doors. This rigid vinyl extrusion seals the joints and eliminates metal-to-metal contact, which limits the transfer of temperature.

Haas Door
A Nofziger Company

700 series

MIAMI-DADE COUNTY APPROVED

Florida/Non-Florida
Wind Load
Impact/Non-Impact

LIMITED LIFETIME WARRANTY

764 in Trinar® beige with 3-pane windows, hinges and handles

700 Series / 1¾" thick / R-16.18

760 in american walnut bi-directional, hinges and handles

712 in english oak with TL windows and selectview option (see pg 22)

761 in polar white with 3-pane windows, hinges and handles

764 in sandstone with 6-pane arch windows

Panel Options

Flush
Model 710
All colors except
Bi-Directional wood grains
Carriage Windows p24 & 25
Ranch Windows p24 & 26
TL Windows p26
Standard Windows p24 & 27

V-Groove
Model 712
All colors except
Bi-Directional wood grains
TL Windows p26

Ribbed Short Panel
Model 760
All colors
Carriage Windows p24 & 25
Model 772
All colors
Ranch Windows p24 & 26
Model 782
All colors
Standard Windows p24 & 27

Recessed Short Panel
Model 761
All colors
Carriage Windows p24 & 25
Model 771
All colors
Ranch Windows p24 & 26
Model 781
All colors
Standard Windows p24 & 27

Ribbed Long Panel
Model 764
All colors
Carriage Windows p24 & 25
Model 774
All colors
Ranch Windows p24 & 26

Recessed Long Panel
Model 763
(Not available in 24" sections)
All colors
Carriage Windows p24 & 25
Model 773
(Not available in 24" sections)
All colors
Ranch Windows p24 & 26

Raised Ranch Panel
Model 770
All colors
Ranch Windows p24 & 26

Raised Standard Panel
Model 780
All colors
Standard Windows p24 & 27

Sculptured Raised Panel
Model 790
All colors
Standard Windows p24 & 27

Color Options

Wood Grain

Bi-Directional American Walnut
Bi-Directional English Oak
Bi-Directional Ash
Bi-Directional Mahogany

Uni-Directional American Walnut
Uni-Directional English Oak
Uni-Directional Ash
Uni-Directional Mahogany

The pre-painted wood grain finish is baked on to ensure a durable and long lasting door. Steel wood grain colors feature a 10 year finish warranty.

Premium

Trinar® White*
Trinar® Beige*
Trinar® Brown*
Carbon Black**

*Trinar® colors carry a 35-year finish warranty, making them ideal for projects that require extra-long lasting durability and beauty. **Carbon Black includes a cool chemistry paint finish but is not recommended for projects with extreme exposures to heat and sunlight.

Standard

Polar White
Almond
Gray
Bronze
Sahara Tan
Sandstone
Hunter Green
Charcoal
Brown

Due to the printing process, colors may vary. For accurate color samples, contact a Haas Door dealer for a color selector.

FEATURES

- 1⅜" Thick with Full Thermal Break
- 13.45 Calculated R-Value
- CFC-Free Polyurethane Insulation
- 26-Gauge Galvanized Steel
- Available with Wind Load
- Decorative Glass Options (pg 24)
- SelectView Options (pg 22-23)
- 47 Window Options (pg 25-27)
- Industry Leading Warranty
  - Lifetime Rust & Delamination
  - 10-Year Finish (Wood Grain colors)
  - 6-Year Hardware
  - 3-Year Spring
  - 1-Year All Other Components



A **Full Thermal Break** is used in the tongue-and-groove construction of all 600 series doors. This rigid vinyl extrusion seals the joints and eliminates metal-to-metal contact, which limits the transfer of temperature.

Haas Door A Nofziger Company

600 series

600 Series / 1⅜" thick / R-13.45

664 in charcoal with 3-pane double arch windows

LIMITED LIFETIME WARRANTY

Florida/Non-Florida Wind Load Impact/Non-Impact

MIAMI-DADE COUNTY APPROVED


674 in sahara tan with prairie windows, hinges and handles

680 in carbon black with colonial windows and selectview option (see pg 22)

660 in sandstone with 6-pane windows, hinges and handles

660 in american walnut bi-directional with 3-pane windows

Panel Options

Flush
Model 610
All colors except
Bi-Directional wood grains
Carriage Windows p24 & 25
Ranch Windows p24 & 26
TL Windows p26
Standard Windows p24 & 27

V-Groove
Model 612
All colors except
Bi-Directional wood grains
TL Windows p26

Ribbed Short Panel
Model 660
All colors
Carriage Windows p24 & 25
Model 672
All colors
Ranch Windows p24 & 26
Model 682
All colors
Standard Windows p24 & 27

Recessed Short Panel
Model 661
All colors
Carriage Windows p24 & 25
Model 671
All colors
Ranch Windows p24 & 26
Model 681
All colors
Standard Windows p24 & 27

Ribbed Long Panel
Model 664
All colors
Carriage Windows p24 & 25
Model 674
All colors
Ranch Windows p24 & 26

Recessed Long Panel
Model 663
(Not available in 24" sections)
All colors
Carriage Windows p24 & 25
Model 673
(Not available in 24" sections)
All colors
Ranch Windows p24 & 26

Raised Ranch Panel
Model 670
All colors
Ranch Windows p24 & 26

Raised Standard Panel
Model 680
All colors
Standard Windows p24 & 27

Sculptured Raised Panel
Model 690
All colors
Standard Windows p24 & 27

2400 series

FEATURES

- 2″ Thick
- 24-Gauge Galvanized Steel
- Tongue-and-Groove Construction
- 7.5 R-Valve available
- Available with Wind Load
- Decorative Glass Options (pg 24)
- SelectView Options (pg 22-23)
- 37 Window Options (pg 25-27)
- Industry Leading Warranty
  - Lifetime Rust & Delamination
  - 6-Year Hardware
  - 3-Year Spring
  - 1-Year All Other Components



Tongue-and-groove construction is used in the manufacturing of all 2400 series doors. The door shown includes optional polystyrene insulation panel. (exterior cross section view)

2460 in polar white

LIMITED LIFETIME WARRANTY

Florida/Non-Florida Wind Load Impact/Non-Impact

MIAMI-DADE COUNTY APPROVED

2400 Series / 2″ thick / R-7.45 available

2470 in sahara tan with prairie windows

2461 in sandstone with 3-pane windows

2460 in polar white with 6-pane windows, hinges and handles

2480 in almond

Color Options

Polar White | Almond | Sahara Tan | Sandstone | Brown

Insulated Laminate Back
(L) - inside view

* L indicates energy efficient insulated laminate back option

** indicates panel is not available in 18" sections

Panel Options

Flush
Model 2410/2410L*
Carriage Windows p24 & 25
Ranch Windows p24 & 26
TL Windows p26
Standard Windows p24 & 27

Ribbed Short Panel**
Model 2460/2460L*
Carriage Windows p24 & 25
Model 2472/2472L*
Ranch Windows p24 & 26
Model 2482/2482L*
Standard Windows p24 & 27

Recessed Short Panel**
Model 2461/2461L*
Carriage Windows p24 & 25
Model 2471/2471L*
Ranch Windows p24 & 26
Model 2481/2481L*
Standard Windows p24 & 27

Raised Ranch Panel
Model 2470/2470L*
Ranch Windows p24 & 26

Raised Standard Panel
Model 2480/2480L*
Standard Windows p24 & 27

2500 series

FEATURES

- 2" Thick
- 25-Gauge Galvanized Steel
- Tongue-and-Groove Construction
- 7.5 R-Valve available
- Available with Wind Load
- Decorative Glass Options (pg 24)
- SelectView Options (pg 22-23)
- 37 Window Options (pg 25-27)
- Industry Leading Warranty
  - Lifetime Rust & Delamination
  - 3-Year Hardware
  - 3-Year Spring
  - 1-Year All Other Components

Tongue-and-groove construction is used in the manufacturing of all 2500 series doors. The door shown includes optional polystyrene insulation panel.
(exterior cross section view)

LIMITED LIFETIME WARRANTY

Florida/Non-Florida Wind Load Impact/Non-Impact

MIAMI-DADE COUNTY APPROVED

2560 in sandstone with 6-pane double arch windows

2500 Series / 2" thick / R-7.45 available

2561 in almond with 6-pane windows

2580 in polar white with plain windows and selectview option (see pg 22)

2570 in polar white with sunset windows

2580 in polar white with cascade windows

Color Options


Polar White

Almond


Sahara Tan

Sandstone

Brown

Insulated Laminate Back
(L) - inside view

* L indicates energy efficient insulated laminate back option

** indicates panel is not available in 18" sections

Panel Options

Ribbed Short Panel**
Model 2560/2560L*
Carriage Windows p24 & 25
Model 2572/2572L*
Ranch Windows p24 & 26
Model 2582/2582L*
Standard Windows p24 & 27

Recessed Short Panel**
Model 2561/2561L*
Carriage Windows p24 & 25
Model 2571/2571L*
Ranch Windows p24 & 26
Model 2581/2581L*
Standard Windows p24 & 27

Raised Ranch Panel
Model 2570/2570L*
Ranch Windows p24 & 26

Raised Standard Panel
Model 2580/2580L*
Standard Windows p24 & 27

SelectView Options

SelectView by Haas Door allows you to break out of the mold of a traditional garage door by placing windows in multiple patterns dependent on the window openings you desire. Whether you desire a modern take on a wood grain door or wish to match the window pattern to an entrance door, SelectView makes it easy to create a unique garage door window pattern to complement the style of your home or create a unique look.

Carriage House Options

- Add windows to a flush door to create a modern, custom look to fit your home.
- Available in Flush (10) models.
- Available with Decorative glass, Specialty glass & inserts.
- Largest glass window size - 39 7/16" x 13 7/16".

(Possibilities shown below, many more available)



TL Options

- Take the ordinary residential door to extraordinary.
- Available in Flush and V-Groove models.
- 25" x 12" and 24" x 6" window sizes, large window frame matches door color.

(Possibilities shown below, many more available)

Standard Options



- Mix windows & standard panels for a unique look.
- Available in Standard (80 & 90) stamped panel models.
- Available with Decorative glass, Specialty glass & inserts.
- 18 3/8" x 11 3/8" window size for 5000, 2000, 700 and 600 Series – 17 3/8" x 11 3/8" window size for 2400 and 2500 Series.

(Possibilities shown below, many more available)



SelectView Options (continued)

Ranch Options

- Create curb appeal with windows and panels.
- Available in Ranch (70) stamped panel models.
- Available with Decorative glass, Specialty glass & inserts.
- 39 3/8" x 11 1/2" size window.

(Possibilities shown below, many more available)

Glass Options

Insulated

Clear/Clear | Aqua/Clear | Rain/Clear | Clear/Low-E



Clear/Frosted | Aqua/Frosted | Rain/Frosted | Clear/Solar Ban

Light Gray/Clear | Dark Gray/Clear | Bronze/Clear | Dark Gray/Dark Gray



Light Gray/Frosted | Dark Gray/Frosted | Bronze/Frosted | Obscure/Clear (Only RA)

Impact Polycarbonate

(UV rating on Clear only)



Clear | Dark Gray | Pebble | Bronze

Non-Insulated

Clear | Aqua | Rain

Light Gray | Dark Gray | Bronze

Frosted | Clear Lexan | Obscure

Additional Residential Aluminum Non-Insulated

Wire | Frosted Safety Laminate | Clear Safety Laminate

Reflective Bronze

Decorative Glass Window Options (more details on haasdoor.com)

Carriage House Series (not available in 18" sections)

5210
2010, 2060, 2061, 2063, 2064
3/4" Insulated - Clear/Clear, Aqua/Clear, Rain/ Clear, Clear/Frosted, Aqua/Frosted, Rain/Frosted

5710
710, 760, 761, 763, 764
610, 660, 661, 663, 664
1/2" Insulated - Clear/Clear, Aqua/Clear, Rain/ Clear, Clear/Frosted, Aqua/Frosted, Rain/Frosted

2410, 2460, 2461
2560, 2561
1/8" Tempered - Clear, Aqua, Rain

Emerald

Modern Craft



Prairieview

Ranch Series

5210, 5270
2010, 2070, 2071, 2072, 2073, 2074
1/2" Insulated - Clear/Clear, Aqua/Clear, Rain/ Clear, Clear/Frosted, Aqua/Frosted, Rain/Frosted

5710, 5770
710, 770, 771, 772, 773, 774
610, 670, 671, 672, 673, 674
1/2" Insulated - Clear/Clear, Aqua/Clear, Rain/ Clear, Clear/Frosted, Aqua/Frosted, Rain/Frosted

2410, 2470, 2471, 2472
2570, 2571, 2572
1/8" Tempered - Clear, Aqua, Rain

Emerald



Modern Craft

Prairieview

Standard Series

5210, 5280
2010, 2080, 2081, 2082, 2090
1/2" Insulated - Clear/Clear, Aqua/Clear, Rain/ Clear, Clear/Frosted, Aqua/Frosted, Rain/Frosted

5710, 5780
710, 780, 781, 782, 790
610, 680, 681, 682, 690
1/2" Insulated - Clear/Clear, Aqua/Clear, Rain/ Clear, Clear/Frosted, Aqua/Frosted, Rain/Frosted

2410, 2480, 2481, 2482
2580, 2581, 2582
1/8" Tempered - Clear, Aqua, Rain

Emerald

Modern Craft

Prairieview



Window Options

Carriage House Series (not available in 18" sections)

5210
2010, 2060, 2061, 2063, 2064
3/4" Insulated Tempered

5710
710, 760, 761, 763, 764
610, 660, 661, 663, 664
1/8" Tempered
1/2" Insulated Tempered

2410, 2460, 2461
2560, 2561
1/8" Tempered

3-Pane

3-Pane Single Arch

3-Pane Double Arch

4-Pane

4-Pane Single Arch

4-Pane Double Arch

6-Pane

6-Pane Single Arch

6-Pane Double Arch

8-Pane

8-Pane Single Arch

8-Pane Double Arch

Plain

Window Options

Ranch Series

5210, 5270
2010, 2070, 2071, 2072, 2073, 2074
1/2" Insulated Tempered

5710, 5770
710, 770, 771, 772, 773, 774
610, 670, 671, 672, 673, 674
1/8" Tempered
1/2" Insulated Tempered

2410, 2470, 2471, 2472
2570, 2571, 2572
1/8" Tempered

Cascade

Cathedral

Colonial

Plain

Prairie

Sherwood

Sunburst

Sunset

TL Series

5210, 5212
2010, 2012
3/4" Insulated Tempered - Clear/Clear
Frame available in all door colors

5710, 5712
710, 712
610, 612
1/2" Insulated Tempered - Clear/Clear
Frame available only in Black

2410, 2410L
1/8" Tempered - Clear
Frame available only in Black

TL Lite (25" x 12")

Small TL Lite (24" x 6")

Window Options

Standard Series

5210, 5280
2010, 2080, 2081, 2082, 2090
1/2" Insulated Tempered

5710, 5780
710, 780, 781, 782, 790
610, 680, 681, 682, 690
1/8" DSB - Clear, Frosted
1/2" Insulated Tempered

2410, 2480, 2481, 2482
2580, 2581, 2582
1/8" DSB - Clear, Frosted

Cascade

Cathedral

Colonial

St. Edward
(not available in 2400 and 2500 series)

Note: Interior dividers inside the glass are only available in sandstone and white. Glass only available Clear on Clear.

Plain

Prairie

Sherwood

Sunburst

Sunset

Sunset

Residential Warranty & Product Gauge Information

American Tradition™ Series
- Insulated 26 Gauge Galvanized Steel & Overlay
- Lifetime Delamination and Rust-through Warranty
- 6 Year Hardware Warranty
- 5 Year Overlay Delamination Warranty
- 3 Year Spring Warranty
- 1 Year All Other Components

Residential Aluminum 360 Series
- 0.65" Minimum Aluminum Tubular Extrusion
- 6 Year Hardware Warranty
- 5 Year Finish Warranty
- 3 Year Spring Warranty
- 1 Year All Other Components

5000 Series
- Insulated 24 Gauge Aluminum
- Lifetime Delamination Warranty
- 6 Year Hardware Warranty
- 3. Year Spring Warranty
- 1 Year All Other Components

2000, 700, 600 Series
- Insulated 26 Gauge Galvanized Steel
- Lifetime Delamination and Rust-through Warranty
- 6 Year Hardware Warranty
- 3 Year Spring Warranty
- 1 Year All Other Components

Wood Grain Steel Color Option
- 10 Year Finish Warranty

2400 Series
- 24 Gauge Galvanized Steel
- Lifetime Rust-through Warranty
- 6 Year Hardware Warranty
- 3 Year Spring Warranty
- 1 Year All Other Components

2500 Series
- 24 Gauge Nominal Galvanized Steel
- Lifetime Rust-through Warranty
- 3 Year Hardware Warranty
- 3 Year Spring Warranty
- 1 Year All Other Components

Wind Load

Haas garage doors are available in a wide range of design pressures for wind load requirements. Contact your local dealer for more information about wind load requirements in your area.

Florida/Non-Florida Wind Load Impact/Non-Impact

MIAMI-DADE COUNTY APPROVED

Florida Building Code Approved
Organization #PDM-8235

Advanced Paint System

All Haas garage doors include a three-tier, corrosion resistant protective finish with a polyurethane primer and a durable polyester finish coat on the interior and exterior. Haas Door's paint thickness is one of the highest in the industry.



Aluminum



Steel

Weather Seal

Haas garage doors include a heavy vinyl bottom weather seal that seals out the elements and repels the most hostile weather conditions.

Insulated Models

2400 & 2500 Series

Accessories

Optional decorative hardware is available on most models.

Hinges (optional)

Handles
(optional, standard on 900 series)

Black nylon, white nylon, 10 ball steel roller


Powder Coated Hardware Options

Haas Door is Committed to Quality.

As a member of the Door and Access Systems Manufacturers Association (DASMA), Haas Door is committed to industry standards for quality and safety. In addition to these guidelines, Haas Door has developed its own quality assurance procedures.

Each raw material used in the manufacturing process is inspected daily for quality assurance. Steel used on the inside and outside skins is checked for accuracy in thickness and finish. The insulation material, a high density CFC/HCFC-free polyurethane foam, is tested continuously on each production line to ensure that the correct density, blend of material, cure time and calculated R-values are achieved.

Samples of manufactured doors are tested for quality and durability. Doors are cycled tens of thousands of times to test the performance and endurance of the sections, hinges, springs, cables, rollers, bottom seals, and track. Strength is measured using two separate tests. Individual sections are subjected to a dead load test, and complete doors are wind load tested. This ensures that Haas garage doors will meet wind load requirements for building codes across the country.

Haas continues to perform testing outside of the manufacturing facility, as both prototype and current doors are installed in various locations and monitored for durability. External labs are also used to test specific components to ensure quality standards.

Quality people and quality products are what make Haas Door the best garage door manufacturer in the industry. Open the door to endless possibilities!

Environmental Responsibility

Haas Door Company manufactures all garage doors in the U.S. and is committed to providing quality products that are safe for our customers and to the environment. Haas garage doors are made from steel that contains 80% recycled material. A plastic thermal break, made with recycled materials, separates each door section to eliminate metal-to-metal contact and the transfer of temperature. Haas also uses CFC/HCFC-free polyurethane insulation, which results in some of the most energy-efficient doors on the market. Good for the environment and saves energy!

Haas Door has also implemented an ongoing improvement plan to gain efficiency and reduce waste, including a recycling program for scrap metal, cardboard and plastic. Many suppliers are regional, which minimizes fuel costs, and material packaging is reused or recycled whenever possible.

Haas Door®
A Nofziger Company

Rev. 3.7
©Haas Door 2019

320 Sycamore
Wauseon, OH 43567

haasdoor.com

Family Owned &
Manufactured in the USA

open the door to
endless possibilities